


- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed to be installed in an efficient repeating runner or ashlar pattern, with equal numbers of 1/2, square, and 3/2 stones
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Demi and Supra can be combined to create a six-piece system with expansive, industry-leading scale
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

The CityStone series shares a common architectural look in which texture is defined by the joint pattern. The extensive range - from 4x4 to 24x24 - of CityStone shapes yields unlimited creative control to satisfy your design intent. CityStone's generous chamfers control lippage even in challenging large-format / non-planar installations, and units are available in a range of paver heights to suit a variety of traffic conditions and base preparations.

STONE(S) 16x24 8x16 16x16 Height ln. 2.36 2.36 2.36 MM. 60 60 60 mm Length IN. 7.87 15.75 23.62 in 200 400 600 mm MM Width 15.75 15.75 in IN 15.75 MM 400 400 400 mm **Units** 20 20 /pl QTY 20



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS	
Pallet Weight	2884 lbs
Sq Ft/Pallet	103 sq.ft.





www.pavestone.com



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The CityStone series shares a common architectural look in which texture is defined by the joint pattern. The extensive range - from 4x4 to 24x24 - of CityStone shapes yields unlimited creative control to satisfy your design intent. CityStone's generous chamfers control lippage even in challenging large-format / non-planar installations, and units are available in a range of paver heights to suit a variety of traffic conditions and base preparations.

QTY

la/

60

STONE(S) 12x24 Height in ln. 2.36 mm MM. 60 Length in IN. 24 MM600 mm Width IN 12 in 300 mm MM



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

Units

PALLET SPECS	
Pallet Weight	3255 lbs
Sq Ft/Pallet	116 sq.ft.






www.pavestone.com



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Square shape easily forms stacked and runner patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

The CityStone series shares a common architectural look in which texture is defined by the joint pattern. The extensive range - from 4x4 to 24x24 - of CityStone shapes yields unlimited creative control to satisfy your design intent. CityStone's generous chamfers control lippage even in challenging large-format / non-planar installations, and units are available in a range of paver heights to suit a variety of traffic conditions and base preparations.

STONE(S) 24x24 2.36 Height in ln. mm MM. 60 Length in IN. 24 600 mm MM Width in IN 24 MM600 mm **Units** QTY 20 /pl



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS	
Pallet Weight	2240 lbs
Sq Ft/Pallet	80 sq.ft.





www.pavestone.com