


- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Designed to be installed in a Muster-K


 (a.k.a. T or I) pattern having two Recs for each Square
- Suitable for heavy vehicular applications, such as municipal streets and minor arterials, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)



			6x6	6x9
Height	in	ln.	3.15	3.15
	mm	MM.	80	80
Length	in	IN.	5.91	8.86
	mm	MM	150	225
Width	in	IN	5.91	5.91
	mm	MM	150	150
Units	/pl	QTY	80	160

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2856 lbs
Sq Ft/Pallet	76 sq.ft.







- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


6x12

STONE(S)



			OXIZ
Height	in	ln.	3.15
	mm	MM.	80
Length	in	IN.	11.81
	mm	MM	300
Width	in	IN	5.91
	mm	MM	150
Units	/pl	QTY	160

PALLET LAYOUT



NOTES


Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2848 lbs
Sq Ft/Pallet	77 sq.ft.








- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Square shape easily forms stacked and runner patterns
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

12x12

STONE(S)



PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	3436 lbs
Sq Ft/Pallet	96 sq.ft.








- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Square shape easily forms stacked and runner patterns
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure


646

STONE(S)



			OXO
Height	in	ln.	1.77
	mm	MM.	45
Length	in	IN.	5.91
	mm	MM	150
Width	in	IN	5.91
	mm	MM	150
Units	/pl	QTY	672

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPEC	CS
Pallet Weight	3360 lbs
Sq Ft/Pallet	161 sq.ft.







- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Versatile 3:2 shape easily forms stacked, runner, and herringbone patterns
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure


6x9

STONE(S)



			OXS
Height	in	ln.	1.77
	mm	MM.	45
Length	in	IN.	8.86
	mm	MM	225
Width	in	IN	5.91
	mm	MM	150
Units	/pl	QTY	420

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS	
Pallet Weight	3150 lbs
Sq Ft/Pallet	153 sq.ft.









- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Square shape easily forms stacked and runner patterns
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)



			6x6
Height	in	ln.	2.36
	mm	MM.	60
Length	in	IN.	5.91
	mm	MM	150
Width	in	IN	5.91
	mm	MM	150
Units	/pl	QTY	480

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	3080 lbs
Sq Ft/Pallet	115 sq.ft.







- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Versatile 3:2 shape easily forms stacked, runner, and herringbone patterns
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

6x9

300


QTY

STONE(S)



/pl

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

Units

PALLET SPECS

Pallet Weight	2900 lbs
Sq Ft/Pallet	108 sq.ft.









- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Designed to be installed in a random runner or ashlar pattern, with stones of various, modulating lengths and widths
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure

STONE(S)



			6x6	6x9
Height	in	ln.	1.77	1.77
	mm	MM.	45	45
Length	in	IN.	5.91	8.86
	mm	MM	150	225
Width	in	IN	5.91	5.91
	mm	MM	150	150
Units	/pl	QTY	140	280

PALLET LAYOUT



NOTES


Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2800 lbs
Sq Ft/Pallet	133 sq.ft.









- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Versatile 3:2 shape easily forms stacked, runner, and herringbone patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

12x18

STONE(S)



PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2436 lbs
Sq Ft/Pallet	87 sq.ft.







- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Designed to be installed in a Muster-K

 (a.k.a. T or I) pattern having two Recs for each Square
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

6x6


6x9

STONE(S)



			0210	0210
Height	in	ln.	2.36	2.36
	mm	MM.	60	60
Length	in	IN.	5.91	8.86
	mm	MM	150	225
Width	in	IN	5.91	5.91
	mm	MM	150	150
Units	/pl	QTY	100	200

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2660 lbs
Sq Ft/Pallet	95 sq.ft.







- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- · Designed to be installed in a Muster-K (a.k.a. T or I) pattern having two Recs for each Square
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

6x6


120

QTY

6x9

240

STONE(S)



PALLET LAYOUT

Units /pl

NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	3192 lbs
Sq Ft/Pallet	114 sq.ft.







- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Versatile 3:2 shape easily forms stacked, runner, and herringbone patterns
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

6x9

2.36

60

8.86

225

5.91

150


250

QTY

STONE(S)



PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

Units

/pl

PALLET SPECS

Pallet Weight	2520 lbs
Sq Ft/Pallet	90 sq.ft.








- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

6x12


200

STONE(S)



Units

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2688 lbs
Sq Ft/Pallet	96 sq.ft.





QTY

/pl



- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

6x12

240

STONE(S)

Height in ln. 2.36 mm MM. 60 Length in IN. 11.81 300 mm NMMWidth IN 5.91 in mm MM 150

PALLET LAYOUT

NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

Units

PALLET SPECS


Pallet Weight	3220 lbs
Sq Ft/Pallet	115 sq.ft.





QTY


/pl




- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of dimensioned flagstone
- Square shape easily forms stacked and runner patterns
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

12x12

STONE(S)



PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	3204 lbs
Sq Ft/Pallet	120 sq.ft.







- Riven stone surfaces and chamferless edges create the striking shadowlines and textures of split flagstone
- Designed to be installed in a Cairo pentagonal pattern
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

The Venetian Flag creates dramatic and dynamic interaction with sunlight through its cleft and chamferless surfaces, which evoke the timeless appeal of split flagstone. Far easier to install than competing products, Venetian Flag self-terminates on a 2 foot grid - both inside and outside corners are formed with no cuts. Venetian Flag can also form a 4 foot wide walkway with no cuts, and its half stones combine to form a whole stone which is absorbed into larger fields.

ח

STONE(S)


			A	Ь	C	D	_
Height	in	ln.	2.36	2.36	2.36	2.36	2.36
	mm	MM.	60	60	60	60	60
Length	in	IN.	24	24	24	12	12
	mm	MM	609.6	609.6	609.6	304.8	304.8
Width	in	IN	18	18	18	18	18
	mm	MM	457.2	457.2	457.2	457.2	457.2
Units	/pl	QTY	10	10	10	10	10

R

C

۸

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2240 lbs
Sq Ft/Pallet	80 sq.ft.



