

ScourStop® THE GREEN SOLUTION TO RIPRAP












SCOURSTOP USED?





EcoTrans is the economy version of ScourStop. With similar geometry, EcoTrans has the same performance ratings as ScourStop and uses the same ScourStop earth anchors.

Made entirely with recycled material, EcoTrans transition mats are created with recycled post-consumer and post-industrial plastic.



how does

SCOURSTOP WORK?

ScourStop transition mats are a paradigm shift – an engineered, proven bio-technical alternative to hard armor. ScourStop mats combine the beauty of natural vegetation with modern polymer technology to mechanically protect soil from scour and erosion.

elements of the transition mat system:

- Mechanical protection
- Reinforced soil covers
- O Deep-anchoring soil stabilization

mechanical protection


Provides impact resistance, tensile strength, and permanent durability against high-erosive stresses.

soil covers

Soil is extremely erosive. Some type of best management practice (BMP) cover is required under ScourStop for effective results. Typically, a turf reinforcement mat (TRM), sod, or a combination of both provide maximum protection for every soil type and condition. Geotextiles may be used on nonvegetated projects.

deep anchoring

To withstand the shear forces of flowing water, transition mats must be anchored deep in the soil. ScourStop's innovative bullet anchors are integral to the mat's resistant strength and also help each mat conform to the native topography.



3 reasons ScourStop is a cost-effective alternative to hard armor:



Facilitates the use of soft armor vegetation solutions in areas typically reserved for hard armor.



MS4 inspection and maintenance of post-construction BMPs.

ScourStop's vegetated, no-maintenance BMPs lower life-cycle costs.




Lightweight and portable, the ScourStop system does not require heavy construction equipment for installation.

NEW, INNOVATIVE BULLET ANCHORS



EXTREME TESTING, PROVEN RESULTS








6" Gabion	11.7
Soil Cement	14.7
TRM/Asphalt	15.1
ACB	16.9
Transition Mat	31.6


FULLY VEGETATED
31 feet per second
16 pounds of shear

DAY ONE PERFORMANCE
19 feet per second
13 pounds of shear

Colorado State University Hydraulics Laboratory

CULVERT OUTLET







ASP Enterprises 1099 Cassens Ind. Ct. Fenton, MO 63026 TF: 800-869-9600 www.aspent.com ASP Enterprises-KC 5301 E. 59th St. Kansas City, MO 64130 TF: 800-519-2304 www.aspent.com

ASP Enterprises-Omaha 15263 Cooper St ______ Omaha, NE 68138 TF: 877-678-8027 www.aspent.com

scourstop[®]